



REGENCY

CITY SERIES

MODERN DESIGNER FIREPLACES WITH NO LIMITATIONS

regency-fire.com

modern fireplaces with no limitations

The Regency City Series of modern gas fireplaces offer unmatched design flexibility, quality, and contemporary styling. These stunning fireplaces create a unique focal point in your home and provide the calming ambiance of a large fire with just the push of a button.



table of contents


Choose Your Look	8
40 Series	10
50 Series	14
60 Series	18
72 Series	22
Accessories	35
Specifications	36 - 39

Learn more about
City Series line:






multiple configurations available




NEW YORK VIEW
Single Sided

A simple yet elegant statement that ties your living space together and elevates any wall with its seamless, linear look.




CHICAGO CORNER
Corner Left or Right

Provides design freedom due to its ability to act as a show stopping standalone or a flattering accent in any area.




SAN FRANCISCO BAY
Three Sided

Creates a focal point that sparks conversations and creates a comforting ambiance in your cozy home.



SANTA MONICA PIER
Pier Left or Right

Allows you to enjoy dynamic views from all angles in your living space as you lounge in the warmth of vivid flames.



SEATTLE SEE-THROUGH
See-Through


Versatile architectural element allows you to enjoy a clear, frameless view of the fire from two rooms.






of your fireplace. Complete your fireplace look with:

- Wood
- Marble
- Glass
- Metal
- Tile
- Fabric
- Faux Stone
- Wallpaper
- Fluted Panel
- 3D Wall Panel
- Textured Panel
- Embossed Panel
- Herringbone Wood Panel





choose your look

Integrated accessories with warm realistic firebed. Relaxed, natural flames rise from a richly detailed bed of logs, stones, crystals, or crushed glass media options.



Driftwood Log Set



Birch Log Set



Split Oak Log Set




Volcanic Stones - Tan or Grey



Fireballs

INTERIOR FIREBOX PANELS



Black Steel Interior Panels




Black Enamel Inner Reflective Panels




Black Glass Inner Reflective Panels


40 Series



NEW YORK VIEW



CHICAGO CORNER



SAN FRANCISCO BAY

UNIT STYLE	GLASS VIEWING AREA
Single Sided • CV40E	38-13/16" x 15-1/16"
Corner Left or Right • CC40RE • CC40LE	42-15/16" x 15-1/16"
Three Sided • CB40E	47" x 15-1/16"


SPECIFICATIONS	INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
Natural Gas	28,500	15,500	60.02%	55.23%
Propane	28,500	15,500	60.70%	56.06%









50 Series




NEW YORK VIEW




CHICAGO CORNER



SAN FRANCISCO BAY



SANTA MONICA PIER



SEATTLE SEE-THROUGH

UNIT STYLE	GLASS VIEWING AREA
Single Sided • CV50E	50" x 18"
Corner Left or Right • CC50RE • CC50LE	57" x 18"
Three Sided • CB50E	57" x 18"
Pier Left or Right • CP50E	53-1/4" x 18"
See-Through • CST50E	50" x 18"

SPECIFICATIONS	INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
Natural Gas	35,000	19,000	62.39%	57.49%
Propane	33,000	17,000	64.30%	60.56%



UNIT SHOWN: Chicago Corner Left 50 shown with black reflective crystals, volcanic stones in tan and black steel interior panels.



UNIT SHOWN: San Francisco Bay 50 shown with black reflective crystals, crushed black coal glass, birch log set and black steel interior panels.




UNIT SHOWN: Seattle See-Through 50 shown with black reflective crystals and crushed black coal glass and black steel interior panels.




UNIT SHOWN: New York View 50 shown with black reflective crystals, fireballs and black glass inner reflective panels (side vents not shown).


60 Series




NEW YORK VIEW




CHICAGO CORNER



SAN FRANCISCO BAY



SANTA MONICA PIER



SEATTLE SEE-THROUGH

UNIT STYLE	GLASS VIEWING AREA
Single Sided • CV60E	60" x 18"
Corner Left or Right • CC60RE • CC60LE	60" x 18"
Three Sided • CB60E	60" x 18"
Pier Left or Right • CP60E	60" x 18"
See-Through • CST60E	60" x 18"

SPECIFICATIONS - NATURAL GAS	INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
Single Sided • CV60E	39,000	21,000	55.44%	51.22%
Corner Left or Right • CC60RE • CC60LE	39,000	21,000	55.44%	51.22%
Three Sided • CB60E	39,000	21,000	60.86%	56.23%
Pier Left or Right • CP60E	39,000	21,000	64.04%	60.21%
See-Through • CST60E	39,000	21,000	64.04%	60.21%

Propane Specifications on page 36.




UNIT SHOWN: Seattle See-Through 60 shown with black reflective crystals, volcanic stones in tan and black enamel inner reflective panels.






UNIT SHOWN: San Francisco Bay 60 shown with black reflective crystals, driftwood logs set and black steel inner panels.


72 Series



NEW YORK VIEW



CHICAGO CORNER



SAN FRANCISCO BAY

UNIT STYLE	GLASS VIEWING AREA
Single Sided • CV72E	72" x 15"
Corner Left or Right • CC72RE • CC72LE	82" x 15"
Three Sided • CB72E	82" x 15"

SPECIFICATIONS - NATURAL GAS	INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
Single Sided • CV72E	46,500	32,000	63.06%	57.81%
Corner Left or Right • CC72RE • CC72LE	46,500	32,000	61.65%	63.39%
Three Sided • CB72E	46,500	32,000	61.65%	63.39%

Propane Specifications on page 36.







UNIT SHOWN: San Francisco Bay 72 shown with black reflective crystals, crushed black coal glass, birch log set and black enamel inner reflective panels.



extended view panels

Flush to wall extended view panels center the fire, enhance opulence, and create visual balance. Through this extension, these black glass reflective panels create a sleek look that is complimentary to various architectural elements.

- Create the illusion of a larger fireplace
- Establish balance on a multi-function fireplace feature wall
- Black glass reflective finish amplifies the flame experience
- Can be used on New York 40, 50, 60 & 72 models to extend the length by 24"

1



In this photo, the fireplace is overshadowed by a large television, creating a top heavy fireplace feature wall

2



In this photo, the fireplace achieves visual prominence and balance with the addition of black glass extended view panels

corner installation kit

The corner installation kit transforms a San Francisco Bay 50, 60 or 72 into a Chicago Corner creating a stunning large-faced corner unit unlike anything you have ever seen before.





controllable warmth

FLEXIBLE VENTING OPTIONS

Regency's patented cool wall system releases heat at ceiling level which helps evenly distribute the airflow throughout the living space. Through this natural convection of air, excessive radiant heat is reduced and you are able to enjoy the utmost comfort and lounge in the warmth of beautiful flames more often.


- Enjoy the flexibility to choose from 3 different chase vent solutions
- Release warmth into the room discreetly



Front



Side(s)



Top

APP CONTROL

Put the power of flame directly in your hand. With the Proflame Connect Plus App, you can take control of your fireplace turning it on/off, adjusting the flame height, and temperature of your gas fireplace directly on your smartphone. The optional Wi-Fi enabled module provides the ultimate fireplace control.






cool wall system

Our patented cool wall system helps maintain the perfect wall surface temperature around the fireplace. The floating glass safety barrier draws in the cool air which is split between the heat exchanger and the inside wall surface. Within the heat exchanger, the air is heated and then directed out the back of the fireplace.

heat distribution kit

Increase the effectiveness of your fireplace by dispersing warm air from the fireplace to remote locations in the same room or other rooms in your home by using the Heat Wave™ power duct system.

Available on select models.



UNIT SHOWN: Santa Monica Pier 50 shown with black reflective crystals, volcanic stones in tan and black enamel inner reflective panels.

power vent systems


Regency's power vent systems have longer vertical and horizontal vents. Due to this functionality, designers and architects are able to build with freedom and flexibility to find the perfect space for your fireplace.

INLINE POWER VENT SYSTEM

- Allows for both vertical and horizontal termination (Horizontal terminations can use Regency's AstroCap)
- For vertical terminations the Simpson Duravent high wind cap is used
- Vent runs up to 72 ft. (rigid pipe approved for up to 72 ft. & flex pipe approved for up to 40 ft.)
- Use up to six 90° elbows or twelve 45° elbows
- Use flex vent or rigid pipe
- Access panel required for servicing inline power vent



Inline Power Vent system shown
vertical vent run



Inline Power Vent system shown
horizontal vent run

FLUSH HORIZONTAL TERMINATION POWER VENT

- Horizontal power vent wall termination cap (End of line power vent only) can be installed flush or adjusted to the depth of your wall
- No access panel required for servicing, unless the cap is not accessible from the exterior of home
- Can be painted to match the exterior of outside wall
- Vent runs up to 72 ft. (rigid pipe approved for up to 72 ft. & flex pipe approved for up to 40 ft.)
- Allows for 6 ft. (72") of negative vent run below first elbow
- Use up to six 90° elbows or twelve 45° elbows
- Use flex vent or rigid pipe



End of line flush horizontal Power Vent
system shown in a negative vent run



Horizontal Flush Power Vent Cap
(Used on End of line applications)



Horizontal Direct Vent Astro Cap
(Used on Inline power vent applications)



Inline Power Vent

create your own fireplace



COMPACT CHASE FRAMING KIT



EXTENDED CHASE FRAMING KIT



CORNER CHASE STARTER KIT

OPTIONAL FRAMING KITS

40" UNITS	WIDTH	DEPTH	HEIGHT (ADJUSTABLE)
Compact chase	48-7/16"	18-11/16"	80" - 10'
Extended chase	60-1/2"	18-11/16"	80" - 10'
Extended hearth	60-1/2"	24-7/16"	8-1/2" - 11-1/2"
Corner chase starter kit	49-3/4"	18"	62-7/8" Bottom of unit to top of framing kit

COMPACT CHASE STARTER KIT	50" UNITS	60" UNITS	72" UNITS
Width	60"	71-5/16"	82-7/8"
Depth	20-1/2"	20-3/8"	20-3/8"
Height	62" Bottom of unit to top of framing kit	78-1/2" Bottom of unit to top of framing kit	83-1/2" Bottom of unit to top of framing kit



Regency steel framing kit



commercial use

Our City Series line is popular among architects, builders, and designers as it is able to accommodate a versatile range of projects. Due to features such as our power venting system, these models are perfect for commercial and residential installations such as hotels, restaurants, and even condominiums.

Contact Regency to find out more about our designer friendly line that adds the perfect touch of modernism and elegance to any place.

accessories

ACCESSORIES - AT A GLANCE			CST50E	CST60E	CP60E	CB40E	CB50E	CB60E	CB72EPV	CC40RE • CC40LE	CV40E	CV50E	CV60E	CV72E
Clean face design			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Interior options	Firebed	Crystals in various colors	★	★	★	★	★	★	★	★	★	★	★	★
		Firebeads in various colors	★	★	★	★	★	★	★	★	★	★	★	★
		Sea wool	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		Andiron Lava Embers	★	★	★	★	★	★	★	★	★	★	★	★
	For firebox floor	Crushed glass in various colors	★	★	★	★	★	★	★	★	★	★	★	★
		Ceramic spa stones	★	★	★	★	★	★	★	★	★	★	★	★
		Volcanic stones	★	★	★	★	★	★	★	★	★	★	★	★
		Natural river pebbles	★	★	★	★	★	★	★	★	★	★	★	★
		Andiron Lava Embers	★	★	★	★	★	★	★	★	★	★	★	★
		Black & Grey Shale	★	★	★	★	★	★	★	★	★	★	★	★
	Log set	Driftwood log set	★	★	★	★	★	★	★	★	★	★	★	★
		Split oak log set	★	★	★	★	•	★	★	★	★	★	★	★
		Birch log set	★	★	★	★	★	★	★	★	★	★	★	★
	Inner panels	Matte black	★	★	★	★	★	★	★	★	★	★	★	★
		Black enamel	★	★	★	★	★	★	★	★	★	★	★	★
		Black glass	★	★	★	★	★	★	★	★	★	★	★	★
Fireball Kit			★	★	★	★	★	★	★	★	★	★	★	
Glass safety barrier (patented)			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3/4" faceplate			★	★	•	•	•	•	•	•	★	★	★	•
Extended view side panels			•	•	•	•	•	•	•	•	★	★	★	★
Corner installation kit			•	•	•	•	★	★	★	•	•	•	•	•
Framing kits	Compact chase		•	•	•	★	•	•	•	•	•	•	•	•
	Extended chase		•	•	•	★	•	•	•	•	•	•	•	•
	Extended hearth		•	•	•	★	•	•	•	•	•	•	•	•
	Starter kit		•	•	•	•	★	★	★	★	•	•	•	•
Hearth top - black glass			•	•	•	★	•	•	•	•	•	•	•	•
TV wiring kit			★	★	★	★	★	★	★	★	★	★	★	★
Chase grills	Front chase grill		★	★	★	★	★	★	★	★	★	★	★	★
	Side chase grill 2pk		•	•	•	★	•	•	•	★	★	•	•	•
Accent lights			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Proflame II wall mount or handheld remote			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Venting	Direct vent		✓	✓	✓	✓	✓	✓	•	✓	✓	✓	✓	✓
	Power vent		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	AstroCap® venting system		★	★	★	★	★	★	★	★	★	★	★	★
	Heat Wave™ power duct system		•	★	★	★	•	★	★	★	★	•	★	★
Heat Wave™ adapter			•	★	★	★	•	★	★	★	★	•	★	★
Wifi module for app control			★	★	★	★	★	★	★	★	★	★	★	★
Propane conversion kit			★	★	★	★	★	★	★	★	★	★	★	★

• Not available ✓ Standard ★ Optional

REMOTE



Proflame II Wall Mount or Handheld

specifications

► Natural Gas



SPECIFICATIONS - NATURAL GAS		INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
Seattle See-Through	CST60E	39,000	21,000	64.04%	60.21%
	CST50E	35,000	19,000	62.39%	57.49%
Santa Monica Pier	CP50E	35,000	19,000	63.39%	57.49%
	CP60E	39,000	21,000	64.04%	60.21%
San Francisco Bay	CB40E	28,500	15,500	60.02%	55.23%
	CB50E	35,000	19,000	62.39%	57.49%
	CB60E	39,000	21,000	60.86%	56.23%
	CB72EPV	46,500	32,000	61.65%	63.39%
Chicago Corner	CC40RE • CC40LE	28,500	15,500	60.02%	55.23%
New York View	CV40E	28,500	15,500	60.02%	55.23%
	CV50E	35,000	19,000	62.39%	57.49%
	CV60E	39,000	21,000	55.44%	51.22%
	CV72E	46,500	32,000	63.06%	57.81%

► Propane

SPECIFICATIONS - PROPANE		INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
Seattle See-Through	CST60E	36,000	19,500	65.61%	62.48%
	CST50E	33,000	17,000	64.30%	60.55%
Santa Monica Pier	CP50E	33,000	17,000	64.30%	60.55%
	CP60E	36,000	19,500	65.61%	62.48%
San Francisco Bay	CB40E	28,500	15,500	60.70%	56.06%
	CB50E	33,000	17,000	64.30%	60.56%
	CB60E	36,000	19,500	61.77%	56.43%
	CB72EPV	45,500	36,000	64.20%	65.52%
Chicago Corner	CC40RE • CC40LE	28,500	15,500	60.70%	56.06%
New York View	CV40E	28,500	15,500	60.70%	56.06%
	CV50E	33,000	17,000	64.30%	60.56%
	CV60E	36,000	19,500	55.67%	51.96%
	CV72E	45,500	36,000	63.83%	60.61%

specifications - dimensions

Seattle See-Through units :




	CST60E	CST50E
A	12-11/16"	11-7/8"
B	22-3/16"	22-3/16"
C	23-1/4"	23-3/16"
D	79-1/13"	62-3/8"
E	32-13/16"	28-11/16"
F	38-7/8"	30-5/8"
G, H, I	n/a	n/a
J	60-5/16"	49-1/4"
K	69-11/16"	52-5/16"
L	18"	18"
M	41-1/2"	41-9/16"
N	36-1/2"	34-3/8"
O	10-1/8"	10-1/8"

NOTE: CST60E, CST50E : These models come with a 5" inner and 8" outer collar when venting this as a direct vent. When installed as a power vent, The vent must be reduced to 4" x 6-5/8" in all applications.

San Francisco Bay units :

CB50E - flue on the side



NOTE: CB50E flue is on the side


	CB40E	CB50E	CB60E	CB72EPV
A	48-7/16"	60"	71-1/4"	82-11/16"
B	49-5/8"	61-1/16"	72-5/16"	83-7/8"
C	11-7/16"	11-5/16"	13"	13"
D	7-1/4"	9-1/8"	7-1/4"	7-3/8"
E	37-3/8"	37"	39-1/4"	46-1/4"
F	15-1/16"	18"	18"	15-1/16"
G	10-1/2"	10-13/16"	10-1/4"	10-1/4"
H	18-11/16"	20-7/16"	20-5/16"	20-3/8"
I	14-11/16"	18"	16"	17"

NOTE : CB50E, CB60E, CB72EPV : This model comes with a 5" inner and 8" outer collar which must be reduced to 4" x 6-5/8" in all applications when installed as a power vent. See manual for details.


UNITS	VENTING
CB40E	4" x 6-5/8"
CB50E, CB60E, CB72EPV	5" x 8"

specifications - dimensions

Chicago Corner units :




New York View units :



NOTE: CV50E flue is on the side

CV50E - flue on the side



	CC40RE • CC40LE	CV40E	CV50E	CV60E	CV72E
A	43-5/8"	40"	54-3/8"	60-7/16"	72-1/8"
B	47-3/8"	46-1/4"	49-3/16"	65-11/16"	77-7/16"
C	11-7/16"	11-7/16"	11-7/8"	13-9/16"	13"
D	7-1/4"	7-1/4"	9-1/8"	7-1/4"	7-3/8"
E	37-3/8"	37-3/8"	37"	39-5/16"	46"
F	15-1/16"	15-1/16"	18"	16"	15-1/16"
G	10-1/2"	10-1/2"	10-3/16"	10-1/4"	10-1/4"
H	18-11/16"	18-11/16"	20-7/16"	20-5/16"	20-3/8"
I	14-11/16"	--	18"	16"	--

UNITS	VENTING
CC40RE, CC40LE	4" x 6-5/8"
CV40E	4" x 6-5/8"
CV50E, CB50E, CV60E, CB60E, CST60E, CP60E, CV72E	5" x 8"

NOTE : CV50E, CB50E, CV60E, CB60E, CST60E, CP60E & CV72E : These models come with a 5" inner and 8" outer collar which must be reduced to 4" x 6-5/8" in all applications when installed as a power vent. See manual for details.

specifications

For the most current and accurate installation manuals, scan the QR code below:

NEW YORK VIEW UNITS

New York View 40



New York View 50



New York View 60



New York View 72



CHICAGO CORNER UNITS

Chicago Corner 40



Chicago Corner 50



Chicago Corner 60



Chicago Corner 72



SAN FRANCISCO BAY UNITS

San Francisco Bay 40



San Francisco Bay 50



San Francisco Bay 60



San Francisco Bay 72



SANTA MONICA PIER UNITS

Santa Monica Pier 50



Santa Monica Pier 60



SEATTLE SEE-THROUGH UNITS


Seattle See-Through 50



Seattle See-Through 60



For most up to date specifications, Detailed Drawings, Framing & Clearances, BIM files and more, visit our online resources at **regency-fire.com**



experience the luxury of
a true frameless fire



©2026 FPI Fireplace Products International Ltd. Regency®, AstroCap® and Heat Wave™ are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (02/26)
Part No. 944-427

regency-fire.com/cityseries